



WORLD
AQUATICS

HIGH DIVING EVENT CERTIFICATION

ORGANIZING BODY

FACILITY NAME

OWNER

CONTRACTOR

DESIGN TEAM

DATE

WORLD AQUATICS

APPROVED BY

DATE

SIGNATURE

MEASUREMENT CRITERIA

1. MEASUREMENTS SHALL BE TAKEN WITH THE POOL, OR RELEVANT LANDING ZONE, FULL OF WATER.
2. THE WATER TEMPERATURE SHOULD BE NOT LESS THAN 18°C IN NATURAL WATER VENUES AND PREFERABLE NOT LESS THAN 26°C DEGREES IN VENUES WITH AN ARTIFICIAL POOL.
3. TEMPORARY PLATFORMS INTO NATURAL WATER WITH TIDES, THE PLATFORMS MUST BE CONSTRUCTED IN A WAY THAT DURING THE EXPECTED COMPETITION DAYS THE COMPETITION HEIGHTS ARE WITHIN THE TOLERANCES.

THE PLATFORMS

PART 5, 12.1.2.1 - Each platform shall be rigid and horizontal.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.2.1		

PART 5, 12.1.2.4 - The entire surface of all platforms shall be covered with slip-resistant material that shall have a tread pattern that provides sufficient traction in wet and dry conditions such that the divers are prevented from slipping when performing dives in all directions.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.2.4		

PART 5, 12.1.2.4.2 - Terracotta is the preferred colour of the platform surface material. Black, white, and blue coloured surface material is not permitted.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.2.4.2		

PART 5, 12.1.2.4.3 - The colour of the carpet on the pool deck must not be blue. Grey is the preferred option.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.2.4.3		

PART 5, 12.1.2.6 - Each platform shall be accessible by suitable slip-resistant stairs (not ladders) as required by the country's building regulations and or health and safety standards that are applicable.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.2.6		

GENERAL REQUIREMENTS

PART 5, 12.1.3.1 - For High Diving platforms designed and constructed after 31st December 2017 the minimum dimensions in metres for high diving facilities as detailed on the tables shown in Part 5, Appendix 1-4 shall prevail, using, as a basic measuring point of reference, the plummet line, which is a vertical line extending through the centre of the front edge of the platforms.

If no damage or renovation has occurred since the submission of the High Diving Facility Certification, measurements from that document shall be accepted.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.3.1		

PART 5, 12.1.3.2 - The platforms shall face north in the northern hemisphere and south in the southern hemisphere where possible.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT	N/A
PART 5, 12.1.3.2			

PART 5, 12.1.3.3 - The water temperature should be not less than 18°C in natural water venues and preferable not less than 26°C degrees in venues with an artificial pool.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.3.3		

PART 5, 12.1.3.4 - A certificate of suitability for use of the venue shall be issued by the appropriate local health and safety authorities. In general terms the certification must also relate to the general water quality for human use.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.3.4		

PART 5, 12.1.3.5 - The surface agitation shall be done by a strong horizontal water spray and the scuba divers must also provide additional splash when necessary. The water spray must not be mounted higher than 1.5m above the water level. The water spray should be strong and provide foamy white water for better visibility for the athletes. The spray or the foam must be strong enough to cover the landing area.

WORLD AQUATICS RULE	COMPLIANT	NONCOMPLIANT
PART 5, 12.1.3.5		

PART 5, 12.1.3.6 - The facility shall include wind measuring devices so 12.1.3.6 can be considered at the time of competition.

WORLD AQUATICS RULE	YES	NO
MEASURING DEVICE INCLUDED		

ADDITIONAL COMMENTS

THIS SECTION IS PROVIDED FOR ADDITIONAL COMMENTS:

SIGNATURES

BUILDING NAME			
SURVEYOR		SIGNATURE	
POOL EXPERT		SIGNATURE	
ORGANIZING BODY		SIGNATURE	
FEDERATION			
POOL NUMBER		DATE	